


MOLLET
Füllstandtechnik GmbH



MOLLET
silo-safe-system

S

Silo overfill monitoring system

The silo-safe-system from **MOLLET** is an entire ("all inclusive"), completely independent protection system and the optimum safety for silos, which have to be filled pneumatically by silo trailers.

1. The **MOLLET** silo-safe-system protects from:

- overflow of the silos
- damage of the silo tanks and filter systems by overpressure resp. low pressure (or vacuum)
- soiling of the manufacturing plant
- incorrect filling

2. The **MOLLET** silo-safe-system ensures:

- the working security (safety at work)
(the security and the protection of people's health resp. of the workers and of animals – if necessary)
- the value conservation (protection) of the plant
(the safety and the protection of goods)
- the environmental protection





signal horn
HPW



rotating mirror beacons
HLD



controller
SFS



blocking valve
SFA

The basic module consists of 4 devices:



full indicator **DF26**




blocking valve **SFA**



electronic or
electromechanical controller **SFS**



signal horn **HPW**



More extra equipment of the system with numerous supplementary modules



pressure detector **MSD-070**



demand- and empty indicator **DF23**

ATEX - Options

Dust  for all components

We inform you detailed about all our extensional possibilities



Silo-Ex-Implor **SEI**

MOLLET

Füllstandtechnik GmbH

Industriepark RIO 103 © D-74706 Osterburken
Tel.: (+49) 06291/64400 © Fax: (+49) 06291/9846
E-mail: info@mollet-gmbh.de © www.mollet-gmbh.de

